Prepared to U.S. OSHA, CMA, ANSI, Canadian WHMIS, Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European Union REACH Regulations



SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: CHEMICAL FAMILY NAME: U.N. NUMBER: U.N. DANGEROUS GOODS CLASS: HS Code: SUPPLIER/MANUFACTURER'S NAME: ADDRESS: **EMERGENCY PHONE:** BUSINESS PHONE: EMAIL ADDRESS: WEB SITE INFORMATION: DATE OF PREPARATION: DATE OF LAST REVISION: FLEX 200-GF (Product Code: 201) Polymer N/A Non-Regulated Material 3208.90.00.00 Royal Coatings, Inc. 2705 Concord Rd., Belle Chasse, LA 70037 TOLL-FREE in USA/Canada 800-255-3924 504-392-8811 International calls 01-813-248-0585 info@royalcoatings.net www.royalcoatings.net 2020 2021

SECTION 2 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: This product is a beige/off-white colored liquid with a slight odor. Prolonged contact may cause skin and eye irritation. Ingestion may cause gastric distress. It is a non-flammable liquid with a flash point greater than 113°C (235°F). The environmental effects of this product have not been investigated.

US DOT SYMBOLS

Non-Regulated

CANADA (WHMIS) SYMBOLS



EUROPEAN and (GHS) Hazard Symbols



EU LABELING AND CLASSIFICATION:

Classification of the substance or mixture according to Regulation (EC) No1272/2008 Annex 1 Ingredients of this substance are not classified in the Annex I of Directive 67/548/EEC <u>GHS Hazard Classification(s):</u>

Skin Sensitizer Category 1 Skin Irritant Category 2 Eye Irritant Category 2B

Hazard Statement(s):

H315: Causes skin irritation H317: May cause an allergic skin reaction. H320: Causes eye irritation

Precautionary Statement(s):

P261: Avoid breathing vapors P264: Wash hands thoroughly after handling P273: Avoid release to the environment P280: Wear protective gloves/protective clothing/eye protection/face protection

EU HAZARD CLASSIFICATION PER DIRECTIVE

1999/45/EC: [Xi] Irritant

Risk Phrases:

R36/37/38: Irritating to eyes, respiratory system and skin R43: May cause sensitization by skin contact

Safety Phrases:

S23: Do not breathe gas/fumes/vapour/sprayS36/37: Wear suitable protective clothing and gloves.S46: If swallowed, seek medical advice immediately and show label

FLEX 200-GF

HEALTH HAZARDS OR RISKS FROM EXPOSURE:

ACUTE:

INHALATION Inhalation of this product may cause irritation to the respiratory tract.

EYE: May cause irritation.

SKIN: Contact with skin may cause irritation with redness. May cause an allergic reaction (sensitization). **INGESTION:** Ingestion may cause gastrointestinal irritation including pain, vomiting or diarrhea.

CHRONIC: None known

TARGET ORGANS: ACUTE: Eye, Respiratory System, Skin CHRONIC:

IC: None Known

SECTION 3 - COMPOSITION and INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS:	CAS #	EINECS #	ICSC #	WT %	HAZARD CLASSIFICATION; RISK PHRASES
Diglycidyl ether of Bisphenol A (Oxirane, 2,2ó-[(1- methylethylidene)bis(4,1- phenyleneoxymethylene)]bis-, homopolymer)	25085-99-8	Not listed.	Not Listed	< 60%	HAZARD CLASSIFICATION: None RISK PHRASES: None
Aliphatic glycidyl ether (Oxirane, mono[(C12-14- alkyloxy)methyl] derivs.)	68609-97-2	271-846-8	Not Listed	< 15%	HAZARD CLASSIFICATION: [Xi] Irritant RISK PHRASES: R36/37/38, R43
Proprietary Ingredients	Not Listed	Not Listed	Not Listed	Balance	HAZARD CLASSIFICATION: None RISK PHRASES: None

NOTE: ALL WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2004 format. This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR, EU Directive s and the Japanese Industrial Standard *JIS Z 7250: 2000.*

SECTION 4 - FIRST-AID MEASURES

Contaminated individuals of chemical exposure must be taken for medical attention if any adverse effect occurs. Rescuers should be taken for medical attention, if necessary. Take copy of label and MSDS to health professional with contaminated individual.

EYE CONTACT: If product enters the eyes, open eyes while under gentle running water for at least 15 minutes. Seek medical attention if blurred vision occurs or irritation persists.

SKIN CONTACT: Wash skin thoroughly after handling. Seek medical attention if irritation develops and persists. Remove contaminated clothing. Launder before re-use.

INHALATION: If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention if breathing dificulty continues.

INGESTION: If product is swallowed, call physician or poison control center for most current information. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or MSDS with the victim to the health professional.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Pre-existing skin problems may be aggravated by prolonged exposure to this product.


RECOMMENDATIONS TO PHYSICIANS: Treat symptoms and reduce over-exposure.

SECTION 5 - FIRE-FIGHTING MEASURES FLASH POINT: Not flammable **AUTOIGNITION TEMPERATURE:** Not Available FLAMMABLE LIMITS (in air by volume, %): Lower (LEL): Not Available Upper (UEL): Not Available FIRE EXTINGUISHING MATERIALS: Water, carbon dioxide, foam, or dry chemical UNUSUAL FIRE AND EXPLOSION HAZARDS: Produces dense black smoke and toxic fumes. Not Available Explosion Sensitivity to Mechanical Impact: Explosion Sensitivity to Static Discharge: Not Available December 2021 Page 2 of 6 Rev 1

FLEX 200-GF

SPECIAL FIRE-FIGHTING PROCEDURES:

Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not vet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.



HAZARDOUS MATERIAL IDENTIFICATION SYSTEM **HEALTH HAZARD (BLUE)** 2 FLAMMABILITY HAZARD (RED) 1 PHYSICAL HAZARD (YELLOW) 1 PROTECTIVE EQUIPMENT RESPIRATORY HANDS BODY See See Sect 8 Sect 8 For Routine Industrial Use and Handling Applications

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic hazard

SECTION 6 - ACCIDENTAL RELEASE MEASURES

SPILL AND LEAK RESPONSE: Personnel should be trained for spill response operations.

SPILLS: Contain spill if safe to do so. Prevent entry into drains, sewers, and other waterways. Soak up with an absorbent material and place in an appropriate container for disposal. Dispose of in accordance with applicable Federal, State, and local procedures (see Section 13, Disposal Considerations).

SECTION 7 - HANDLING and STORAGE

WORK PRACTICES AND HYGIENE PRACTICES: As with all chemicals, avoid getting this product ON YOU or IN YOU. Wash thoroughly after handling this product. Do not eat, drink, smoke, or apply cosmetics while handling this product. Avoid breathing vapors/mists/sprays generated by this product. Use in a well-ventilated location. Remove contaminated clothing immediately.

STORAGE AND HANDLING PRACTICES: Containers of this product must be properly labeled. Store containers in a cool, dry location. Keep container tightly closed when not in use. Store away from incompatible materials.

SECTION 8 - EXPOSURE CONTROLS - PERSONAL PROTECTION

EXPOSURE LIMITS/GUIDELINES:

Chemical Name	CAS#	ACGIH TWA	OSHA TWA
Diglycidyl ether of Bisphenol A	25085-99-8	Not listed.	Not listed.
Aliphatic glycidyl ether	68609-97-2	Not listed.	Not listed.
Proprietary Ingredients	Not Listed	Not listed.	Not listed.

Currently, International exposure limits are not established for the components of this product. Please check with competent authority in each country for the most recent limits in place.

VENTILATION AND ENGINEERING CONTROLS: Use with adequate ventilation to ensure exposure levels are maintained below the limits provided below. Use local exhaust ventilation to control airborne dust. Ensure eyewash/safety shower stations are available near areas where this product is used.

FLEX 200-GF

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

- **RESPIRATORY PROTECTION:** Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.
- **EYE PROTECTION:** Splash goggles or safety glasses with side shields recommended. If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards.

HAND PROTECTION: Compatible protective gloves recommended. Wash hands after removing gloves. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards.

BODY PROTECTION: Use body protection appropriate to prevent contact (e.g. lab coat, overalls). If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards.

SECTION 9 - PHYSICAL and CHEMICAL PROPERTIES

PHYSICAL STATE: APPEARANCE & ODOR: ODOR THRESHOLD (PPM): VAPOR PRESSURE (mmHg): VAPOR DENSITY (AIR=1): LIQUID DENSITY EVAPORATION RATE (nBuAc = 1): BOILING POINT (C°): FREEZING POINT (C°): pH: SPECIFIC GRAVITY 20°C: (WATER =1) SOLUBILITY IN WATER (%) VOC: MOLECULAR WEIGHT TYPICAL DENSITY Liquid Beige/off-white liquid with a slight odor. Not Available Not Available 1.4 Not Available 230 °F Not applicable Not Available Insoluble None Not Available 1.4

SECTION 10 - STABILITY and REACTIVITY

STABILITY: Product is stable

DECOMPOSITION PRODUCTS: When heated to decomposition this product produces Oxides of carbon (COx), and fumes.

MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE: Strong acids, strong oxidizers. **HAZARDOUS POLYMERIZATION:** Will not occur.

CONDITIONS TO AVOID: Heat, flame, and strong oxidizing agents.

SECTION 11 - TOXICOLOGICAL INFORMATION

TOXICITY DATA: Toxicity data is available for CAS# 68609-97-2 of this product: LD50 Oral, Rat = 17100 mg/kg

SUSPECTED CANCER AGENT: None of the ingredients are found on the following lists: FEDERAL OSHA Z LIST, NTP, CAL/OSHA, IARC and therefore is not considered to be, nor suspected to be a cancer-causing agent by these agencies.

IRRITANCY OF PRODUCT: Contact with this product can be irritating to exposed skin, eyes and respiratory system.

SENSITIZATION OF PRODUCT: This product may be considered a sensitizer causing allergic reaction.

REPRODUCTIVE TOXICITY INFORMATION: No information concerning the effects of this product and its components on the human reproductive system.

SECTION 12 - ECOLOGICAL INFORMATION

ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION. ENVIRONMENTAL STABILITY: No Data available at this time.

FLEX 200-GF

EFFECT OF MATERIAL ON PLANTS or ANIMALS: No evidence is currently available on this product's effects on plants or animals.

EFFECT OF CHEMICAL ON AQUATIC LIFE: Ecotoxicity data is available for CAS# 68609-97-2 of this product:

Fish 96hr _{LC50,} 0.00308 mg/l.

SECTION 13 - DISPOSAL CONSIDERATIONS

PREPARING WASTES FOR DISPOSAL: Waste disposal must be in accordance with appropriate Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan.

SECTION 14 - TRANSPORTATION INFORMATION

US DOT; IATA; IMO; ADR:

THIS PRODUCT IS NOT HAZARDOUS AS DEFINED BY 49 CFR 172.101 BY THE U.S. DEPARTMENT OF TRANSPORTATION.

PROPER SHIPPING NAME: Non-Regulated Material

HAZARD CLASS NUMBER and DESCRIPTION: None

UN IDENTIFICATION NUMBER: NA

PACKING GROUP: NA

DOT LABEL(S) REQUIRED: NA

NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER (2004): NA

MARINE POLLUTANT: None of the ingredients are classified by the DOT as a Marine Pollutant (as defined by 49 CFR 172.101, Appendix B)

U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS:

This product is not classified as dangerous goods, per U.S. DOT regulations, under 49 CFR 172.101.

TRANSPORT CANADA, TRANSPORTATION OF DANGEROUS GOODS REGULATIONS:

This product is not classified as Dangerous Goods, per regulations of Transport Canada.

INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA):

This product is not classified as Dangerous Goods, by rules of IATA:

INTERNATIONAL MARITIME ORGANIZATION (IMO) DESIGNATION:

This product is not classified as Dangerous Goods by the International Maritime Organization.

EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD (ADR):

This product is not classified by the United Nations Economic Commission for Europe to be dangerous goods.

SECTION 15 - REGULATORY INFORMATION

UNITED STATES REGULATIONS

SARA REPORTING REQUIREMENTS: This product is subject to the reporting requirements of Sections 302, 304 and 313 of Title III of the Superfund Amendments and Reauthorization Act., as follows: None

TSCA: All components in this product are listed on the US Toxic Substances Control Act (TSCA) chemical

inventory. SARA 311/312:

Acute YesChronic Health: NoFire: NoReactivity: NoHealth:

U.S. SARA THRESHOLD PLANNING QUANTITY: There are no specific Threshold Planning Quantities for this product. The default Federal MSDS submission and inventory requirement filing threshold of 10,000 lb (4,540 kg) may apply, per 40 CFR 370.20.

U.S. CERCLA REPORTABLE QUANTITY (RQ): None

CLEAN WATER ACT:This product is not listed as a priority pollutant under the CWA.

STATE REGULATIONS:CAS# 68609-97-2 is listed on the following state right to know lists: Pennsylvania, Massachusetts, and New Jersey.

CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65): None of the ingredients are on the California Proposition 65 lists.

CANADIAN REGULATIONS:

CANADIAN DSL/NDSL INVENTORY STATUS: All of the components of this product are on the DSL Inventory CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS: No component of this product is on the CEPA First Priorities Substance Lists.

FLEX 200-GF

CANADIAN WHMIS CLASSIFICATION and SYMBOLS: This product is categorized as *D2B Toxic Material Causing Other Toxic Effects* as per the Controlled Product Regulations.

EUROPEAN ECONOMIC COMMUNITY INFORMATION:

EU LABELING AND CLASSIFICATION:

Classification of the mixture according to Regulation (EC) No1272/2008. See section 2 for details.

AUSTRALIAN INFORMATION FOR PRODUCT:

AUSTRALIAN INVENTORY OF CHEMICAL SUBSTANCES (AICS) STATUS: All components of this product are listed on the AICS.

STANDARD FOR THE UNIFORM SCHEDULING OF DRUGS AND POISONS: Not applicable.

JAPANESE INFORMATION FOR PRODUCT:

JAPANESE MINISTER OF INTERNATIONAL TRADE AND INDUSTRY (MITI) STATUS: The components of this product are not listed as Class I Specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

INTERNATIONAL CHEMICAL INVENTORIES:

Listing of the components on individual country Chemical Inventories is as follows:							
	Asia-Pac:	Listed or Exempt					
	Australian Inventory of Chemical Substances (AICS):	Listed or Exempt					
	Korean Existing Chemicals List (ECL):	Listed or Exempt					
	Japanese Existing National Inventory of Chemical Substances (ENCS):	Listed or Exempt					
	Philippines Inventory if Chemicals and Chemical Substances (PICCS):	Listed or Exempt					
	Swiss Giftliste List of Toxic Substances:	Listed or Exempt					
	U.S. TSCA:	Listed or Exempt					

SECTION 16 - OTHER INFORMATION

PREPARED BY: RCI

Disclaimer: To the best of Royal Coating's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type either express or implied are provided. The information contained herein relates only to this specific product.