## EASYPRIME

Prepared to U.S. OSHA, CMA, ANSI, Canadian WHMIS, Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European Union REACH Regulations



## **SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION**

PRODUCT NAME: CHEMICAL FAMILY NAME: U.N. NUMBER: U.N. DANGEROUS GOODS CLASS: HS Code: SUPPLIER/MANUFACTURER'S NAME: ADDRESS: EMERGENCY PHONE:

BUSINESS PHONE: EMAIL ADDRESS: WEB SITE INFORMATION: DATE OF PREPARATION: DATE OF LAST REVISION:

### **EASYPRIME** (Product Code: 221)

Epoxy resin- Part A N/A Non-Regulated Material 3208.90.00.00 Royal Coatings, Inc. 3014 Dauphine St Ste A, PMB 48447, New Orleans, LA 70117-6755 **TOLL-FREE in USA/Canada 800-** 255-3924 **International calls** 504-392-8811 sales@royalcoatings.net www.royalcoatings.net September 10, 2018 November 06, 2023

## **SECTION 2 - HAZARDS IDENTIFICATION**

**EMERGENCY OVERVIEW:** EMERGENCY OVERVIEW: This product is a green colored liquid with a slight odor. Prolonged contact may cause skin and eye irritation. Ingestion may cause gastric distress. It is a non-flammable liquid with a flash point greater than 113°C (235°F). The environmental effects of this product have not been investigated.

US DOT SYMBOLS

Non-Regulated

CANADA (WHMIS) SYMBOLS



EUROPEAN and (GHS) Hazard Symbols



#### **EU LABELING AND CLASSIFICATION:**

Classification of the substance or mixture according to Regulation (EC) No1272/2008 Annex 1 Ingredients of this substance are not classified in the Annex I of Directive 67/548/EEC <u>GHS Hazard Classification(s)</u>:

Carcinogenicity Category 2 Skin Sensitizer Category 1 Skin Irritant Category 2 Eye Irritant Category 2B

#### Hazard Statement(s):

H351: Suspected of causing cancerH315: Causes skin irritationH317: May cause an allergic skin reaction.H320: Causes eye irritation

#### Precautionary Statement(s):

P202: Do not handle until all safety precautions have been read and understood
P261: Avoid breathing vapors
P264: Wash hands thoroughly after handling
P273: Avoid release to the environment
P280: Wear protective gloves/protective clothing/eye protection/face protection

#### EU HAZARD CLASSIFICATION PER DIRECTIVE 1999/45/EC:

Carc Cat 3 (Category 3 carcinogens), [Xi] Irritant

## EASYPRIME

### <u>Risk Phrases</u>:

R36/37/38: Irritating to eyes, respiratory system and skin R20/21/22: Harmful by inhalation, in contact with skin and if swallowed R43: May cause sensitisation by skin contact

R45: May cause cancer.

### Safety Phrases:

S2: Keep out of the reach of children
S23: Do not breathe gas/fumes/vapour/spray
S24:Avoid contact with skin
S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S36/37: Wear suitable protective clothing and gloves.
S46: If swallowed, seek medical advice immediately and show label.

## HEALTH HAZARDS OR RISKS FROM EXPOSURE:

### ACUTE:

**INHALATION** Inhalation of this product is irritating to the upper respiratory tract.

**EYE:** May cause irritation.

**SKIN:** Contact with skin may cause severe irritation including burns, blistering, and scar formation. May cause sensitization.

**INGESTION:** Ingestion may cause gastrointestinal irritation including pain, vomiting or diarrhea. **CHRONIC:** None known

TARGET ORGANS: ACUTE: Eye, Respiratory System, Skin CHRONIC: None Known

## **SECTION 3 - COMPOSITION and INFORMATION ON INGREDIENTS**

HAZARDOUS INGREDIENTS:	CAS #	EINECS #	ICSC #	WT %	HAZARD CLASSIFICATION; RISK PHRASES
Phenol (Bisphenol A)	108-95-2	203-632-7	0070	< 1%	HAZARD CLASSIFICATION: : [Xi] Irritant, [N] Dangerous for the Environment RISK PHRASES: 36/37/38
Epichlorohydrin (1-chloro-2,3-epoxypropane)	106-89-8	203-439-8	0043	< 1%	HAZARD CLASSIFICATION: Carc Cat 3, [Xn] Harmful RISK PHRASES: R20/21/22, R45
Epoxy Resins	Not Listed	Not Listed	Not listed.	Balance	HAZARD CLASSIFICATION: None RISK PHRASES: None
Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).					

**NOTE:** ALL WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2004 format. This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR, EU Directives and the Japanese Industrial Standard *JIS Z 7250: 2000.* 

## **SECTION 4 - FIRST-AID MEASURES**


Contaminated individuals of chemical exposure must be taken for medical attention if any adverse effect occurs. Rescuers should be taken for medical attention, if necessary. Take copy of label and MSDS to health professional with contaminated individual.

- **EYE CONTACT:** If product enters the eyes, open eyes while under gentle running water for at least 15 minutes. Seek medical attention if blurred vision occurs or irritation persists.
- **SKIN CONTACT:** Wash skin thoroughly after handling. Seek medical attention if irritation develops and persists. Remove contaminated clothing. Launder before re-use.
- **INHALATION:** If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention if breathing dificulty continues.
- **INGESTION:** If product is swallowed, call physician or poison control center for most current information. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or MSDS with the victim to the health professional.
- **MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:** Pre-existing skin problems may be aggravated by prolonged exposure to this product.

**RECOMMENDATIONS TO PHYSICIANS:** Treat symptoms and reduce over-exposure.

# EASYPRIME

### **SECTION 5 - FIRE-FIGHTING MEASURES**



Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe \* = Chronic hazard

## **SECTION 6 - ACCIDENTAL RELEASE MEASURES**

**SPILL AND LEAK RESPONSE:** Personnel should be trained for spill response operations.

**SPILLS:** Contain spill if safe to do so. Prevent entry into drains, sewers, and other waterways. Soak up with an absorbent material and place in an appropriate container for disposal. Dispose of in accordance with applicable Federal, State, and local procedures (see Section 13, Disposal Considerations).

## **SECTION 7 - HANDLING and STORAGE**

**WORK PRACTICES AND HYGIENE PRACTICES:** As with all chemicals, avoid getting this product ON YOU or IN YOU. Wash thoroughly after handling this product. Do not eat, drink, smoke, or apply cosmetics while handling this product. Avoid breathing vapors/mists/sprays generated by this product. Use in a well-ventilated location. Remove contaminated clothing immediately.

**STORAGE AND HANDLING PRACTICES:** Containers of this product must be properly labeled. Store containers in a cool, dry location. Keep container tightly closed when not in use. Store away from incompatible materials.

## **SECTION 8 - EXPOSURE CONTROLS - PERSONAL PROTECTION**

#### **EXPOSURE LIMITS/GUIDELINES:**

Chemical Name	CAS#	ACGIH TWA	OSHA TWA
Phenol (Bisphenol A)	108-95-2	0.5 ppm	5 ppm
Epichlorohydrin	106-89-8	0.5 ppm	5 ppm

# EA<u>SYPRIME</u>

Epoxy Resin Not Listed	Not listed.	Not listed.
------------------------	-------------	-------------

Currently, International exposure limits are not established for the components of this product. Please check with competent authority in each country for the most recent limits in place.

**VENTILATION AND ENGINEERING CONTROLS:** Use with adequate ventilation to ensure exposure levels are maintained below the limits provided below. Use local exhaust ventilation to control airborne dust. Ensure eyewash/safety shower stations are available near areas where this product is used.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

**RESPIRATORY PROTECTION:** Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

**EYE PROTECTION:** Splash goggles or safety glasses with side shields recommended. If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards.

**HAND PROTECTION:** Compatible protective gloves recommended. Wash hands after removing gloves. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards.

**BODY PROTECTION:** Use body protection appropriate to prevent contact (e.g. lab coat, overalls). If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards.

## **SECTION 9 - PHYSICAL and CHEMICAL PROPERTIES**

PHYSICAL STATE: APPEARANCE & ODOR: ODOR THRESHOLD (PPM): VAPOR PRESSURE (mmHg): VAPOR DENSITY (AIR=1): LIQUID DENSITY EVAPORATION RATE (nBuAc = 1): BOILING POINT (C°): FREEZING POINT (C°): pH: SPECIFIC GRAVITY 20°C: (WATER =1) SOLUBILITY IN WATER (%) VOC: MOLECULAR WEIGHT TYPICAL DENSITY	Liquid Aqua blue liquid with faint odor. Not Available Not Available 1.2 Not Available Not Available Not Available Not Available 1.15-1.3 Insoluble None Not Available
MOLECULAR WEIGHT TYPICAL DENSITY	Not Available 1.2

## SECTION 10 - STABILITY and REACTIVITY

**STABILITY:** Product is stable

**DECOMPOSITION PRODUCTS:** When heated to decomposition this product produces Oxides of carbon (COx), and fumes.

MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE: Strong acids, strong oxidizers and metallic compounds

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID: Heat, flame, and strong oxidizing agents.

## **SECTION 11 - TOXICOLOGICAL INFORMATION**

TOXICITY DATA: Toxicity data is available for CAS# 108-95-2 of this product:

 $LD_{50}$  Oral, Rat = 317 mg/kg  $LD_{50}$  Inhalation, Rat = 316 mg/m<sup>3</sup>  $LD_{50}$  Skin, Rabbit = 630 mg/kg

# EASYPRIME

Toxicity data is available for CAS# 106-89-8 of this product:  $LD_{50}$  Oral, Rat = 90 mg/kg  $LD_{50}$  Inhalation, Rat = 250 ppm  $LD_{50}$  Skin, Rabbit = 515 mg/kg

**SUSPECTED CANCER AGENT:** None of the ingredients are found on the following lists: FEDERAL OSHA Z LIST and CAL/OSHA. CAS# 108-95-2 is classified as an *IARC Group 3 Not classifiable as to its carcinogenicity to humans*. CAS# 106-89-8 is classified as an *IARC Group 2A Probably carcinogenic to humans* and is *Reasonably Anticipated To Be a Human Carcinogen* according to the NTP.

**IRRITANCY OF PRODUCT:** Contact with this product can be irritating to exposed skin, eyes and respiratory system.

**SENSITIZATION OF PRODUCT:** This product contains an ingredient that is considered a sensitizer causing allergic reaction.

**REPRODUCTIVE TOXICITY INFORMATION:** No information concerning the effects of this product and its components on the human reproductive system.

## **SECTION 12 - ECOLOGICAL INFORMATION**

## ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

**ENVIRONMENTAL STABILITY:** No Data available at this time.

**EFFECT OF MATERIAL ON PLANTS or ANIMALS:** No evidence is currently available on this product's effects on plants or animals.

### EFFECT OF CHEMICAL ON AQUATIC LIFE:

Ecotoxicity data is available for CAS# 108-95-2 of this product:

Oncorhynchus mykiss, Fish 96hr LC<sub>50</sub>, 8.9 mg/l

Daphnia magna, Crustacea 24hr EC<sub>50</sub>, 21 mg/l

Ecotoxicity data is available for CAS# 106-89-8 of this product:

Salmo gairdneri, Fish 48hr LC<sub>50</sub>, 19 mg/l

Daphnia magna, Crustacea 24hr EC<sub>50</sub>, 30 mg/l

## **SECTION 13 - DISPOSAL CONSIDERATIONS**

**PREPARING WASTES FOR DISPOSAL:** Waste disposal must be in accordance with appropriate Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan.

## **SECTION 14 - TRANSPORTATION INFORMATION**

#### US DOT; IATA; IMO; ADR:

THIS PRODUCT IS NOT HAZARDOUS AS DEFINED BY 49 CFR 172.101 BY THE U.S. DEPARTMENT OF TRANSPORTATION. **PROPER SHIPPING NAME:** Non-Regulated Material HAZARD CLASS NUMBER and DESCRIPTION: None UN IDENTIFICATION NUMBER: NA PACKING GROUP: NA DOT LABEL(S) REQUIRED: NA NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER (2004): NA MARINE POLLUTANT: None of the ingredients are classified by the DOT as a Marine Pollutant (as defined by 49 CFR 172.101, Appendix B) U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS: This product is not classified as dangerous goods, per U.S. DOT regulations, under 49 CFR 172.101. TRANSPORT CANADA, TRANSPORTATION OF DANGEROUS GOODS REGULATIONS: This product is not classified as Dangerous Goods, per regulations of Transport Canada. INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA): This product is not classified as Dangerous Goods, by rules of IATA: INTERNATIONAL MARITIME ORGANIZATION (IMO) DESIGNATION: This product is not classified as Dangerous Goods by the International Maritime Organization. EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD

(ADR):

This product is not classified by the United Nations Economic Commission for Europe to be dangerous goods.

## EASYPRIME

## **SECTION 15 - REGULATORY INFORMATION**

## UNITED STATES REGULATIONS

**SARA REPORTING REQUIREMENTS:** This product is subject to the reporting requirements of Sections 302, 304 and 313 of Title III of the Superfund Amendments and Reauthorization Act., as follows:

Section 304 Reportable Quantity (RQ): 100 lb (45.4 kg) for CAS# 106-89-8; 1000 lb (454 kg) for CAS# 108-95-2.

SARA 313 Codes: CAS# 106-89-8 and CAS# 108-95-3 are both subject to reporting under section 313.

SARA Toxic Chemical (40 CFR 372.65): CAS# 106-89-8 and CAS# 108-95-3 are listed.

**TSCA:** All components in this product are listed on the US Toxic Substances Control Act (TSCA) inventory of chemicals.

### SARA 311/312:

Acute Yes Chronic Health: No Fire: No Reactivity: No Health:

U.S. SARA THRESHOLD PLANNING QUANTITY: There are specific Threshold Planning Quantities for this product: 1000 lb (45.4 kg) for CAS# 106-89-8 and 10000 lb (4540 kg) for CAS# 108-95-2.

U.S. CERCLA REPORTABLE QUANTITY (RQ): 100 lb (45.4 kg) for CAS# 106-89-8; 1000 lb (454 kg) for CAS# 108-95-2.

**CLEAN WATER ACT:** This product is not listed as a priority pollutant under the CWA.

**STATE REGULATIONS:** CAS# 106-89-8 and CAS# 108-95-2 are listed on the following state right to know lists: Massachusetts, Pennsylvania, and New Jersey.

**CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65)**: CAS# 106-89-8 is listed on the California Proposition 65 lists as a chemical known to cause cancer and birth defects or other reproductive harm.

#### CANADIAN REGULATIONS:

CANADIAN DSL/NDSL INVENTORY STATUS: All of the components of this product are on the DSL Inventory

**CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS:** CAS# 108-95-2 of this product is listed on the CEPA First Priorities Substance Lists.

**CANADIAN WHMIS CLASSIFICATION and SYMBOLS:** This product has been classified as a Class D Division 2: Materials Causing Other Toxic Effects Subdivision B: Very Toxic Material as per the Controlled Product Regulations.

#### EUROPEAN ECONOMIC COMMUNITY INFORMATION:

#### **EU LABELING AND CLASSIFICATION:**

Classification of the mixture according to Regulation (EC) No1272/2008. See section 2 for details.

#### **AUSTRALIAN INFORMATION FOR PRODUCT:**

AUSTRALIAN INVENTORY OF CHEMICAL SUBSTANCES (AICS) STATUS: All components of this product are listed on the AICS.

STANDARD FOR THE UNIFORM SCHEDULING OF DRUGS AND POISONS: Not applicable.

#### JAPANESE INFORMATION FOR PRODUCT:

JAPANESE MINISTER OF INTERNATIONAL TRADE AND INDUSTRY (MITI) STATUS: The components of this product are not listed as Class I Specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

#### INTERNATIONAL CHEMICAL INVENTORIES:

Listing of the components on individual country Chemical Inventories is as follows:

Asia-Pac:	Listed or Exempt
Australian Inventory of Chemical Substances (AICS):	Listed or Exempt
Korean Existing Chemicals List (ECL):	Listed or Exempt
Japanese Existing National Inventory of Chemical Substances (ENCS	5): Listed or Exempt
Philippines Inventory if Chemicals and Chemical Substances (PICCS)	: Listed or Exempt
Swiss Giftliste List of Toxic Substances:	Listed or Exempt
U.S. TSCA:	Listed or Exempt



EASYPRIME

**SECTION 16 - OTHER INFORMATION** 

**PREPARED BY:** Paul Eigbrett

SDS Authoring PLUS

**Disclaimer:** To the best of Royal Coating's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type either express or implied are provided. The information contained herein relates only to this specific product.

Hardener 222

# YAL COATINGS ENGINEERED CHEMISTRY DEVELOP · DESIGN · DELIVER

Prepared to U.S. OSHA, CMA, ANSI, Canadian WHMIS, Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European Union REACH Regulations

## **SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION**

PRODUCT NAME: CHEMICAL FAMILY NAME: PRODUCT CODE: PRODUCT USE: U.N. NUMBER: U.N. DANGEROUS GOODS CLASS: HS CODE: SUPPLIER/MANUFACTURER'S NAME: ADDRESS: EMERGENCY PHONE: BUSINESS PHONE: EMAIL ADDRESS: WEB SITE INFORMATION: DATE OF PREPARATION: DATE OF LAST REVISION:

## Hardener 222

222 None known Curing Agent N/A Non-Regulated Material 3208.90.00.00 Royal Coatings, Inc. 3014 Dauphine St Ste A, PMB 48447, New Orleans, LA 70117-6755 1-800-255-3924 ChemTel. Inc 1-504-392-8811 sales@rovalcoatings.net www.royalcoatings.net February 2020 November 2023

## **SECTION 2 - HAZARDS IDENTIFICATION**

EMERGENCY OVERVIEW: This product is an amber liquid with a ammoniacal odor. Contact may cause skin irritation. May cause skin sensitization. Direct contact with eyes may cause serious irritation. Inhalation of vapors may cause respiratory tract irritation. Prolonged exposure may cause dizziness or drowsiness. May be harmful if swallowed. This product is not considered flammable material with flash point greater than 200°F. The environmental effects of this product have not been investigated.

US DOT SYMBOLS

Non-Regulated



EUROPEAN and (GHS) Hazard Symbols



GHS LABELING AND CLASSIFICATION:

Classification of the substance or mixture according to 29 CFR 1910.1200 and Regulation (EC) No1272/2008 EC# 202-859-9 Annex I Index# 603-057-00-3 Methyleneoxide, Polymer with Benzenamine is not listed in Annex I Organic Acid CAS# is not available EC# 217-168-8 This substance are not classified in the Annex I of Directive 67/548/EEC Substances not listed either individually or in group entries must be self classified Components Contributing to Hazard(s): All ingredients GHS Hazard Classification(s): Acute Oral Toxicity Category 4 Skin Corrosion Category 2 Serious Eve Damage Category 1 Skin Sensitization Category 1 STOT RE Category 2 Hazard Statement(s): **Precautionary Statement(s):** H302: Harmful if swallowed P260: Do not breathe dust/fume/gas/mist/vapors/spray H315: Causes skin irritation P264: Wash hands thoroughly after handling H317: May cause allergic skin reaction P280: Wear protective gloves/protective clothing/eye H373: May cause damage to organs through prolonged or protection/face protection repeated exposure if swallowed H318: Causes serious eve damage November 2023 Page 1 of 6 Rev 2

## **Epoxy Part B / Curing Agent**

### EU HAZARD CLASSIFICATION PER DIRECTIVE 1999/45/EC:

[Xn] Harmful

#### **Risk Phrases:**

R20/21/22:Harmful by inhalation, in contact with skin and if swallowed.

#### Safety Phrases:

S23: Do not breathe gas/fumes/vapour/spray S36/37: Wear suitable protective clothing and gloves.

### HEALTH HAZARDS OR RISKS FROM EXPOSURE:

#### ACUTE:

**INHALATION:** Inhalation of vapors/mist may cause respiratory tract irritation. May cause central nervous system effects, such as headache, nausea, dizziness, confusion and breathing difficulties.

**EYE:** Direct contact may cause severe irritation with possible burns.

**SKIN:** Prolonged or repeated contact with skin may cause irritation. If absorbed through the skin, may cause central nervous system effects.

**INGESTION:** Harmful if swallowed.

CHRONIC: None known

## **SECTION 3 - COMPOSITION and INFORMATION ON INGREDIENTS**

HAZARDOUS INGREDIENTS:	CAS #	EINECS #	ICSC #	WT %	HAZARD CLASSIFICATION; RISK PHRASES
Benzyl Alcohol	100-51-6	202-859-9	Not Listed	30 -60%	HAZARD CLASSIFICATION: : [Xn] Harmful RISK PHRASES: R20/22
Methyleneoxide, polymer with benzenamine, hydrogenated	135108-88-2	Not Listed in ESIS	Not Listed	30 - 60%	HAZARD CLASSIFICATION: : [Xn] Harmful RISK PHRASES: R21/22
Organic Acid	Not Available	Not Available	Not Listed	3 – 7%	HAZARD CLASSIFICATION: : [Xn] Harmful RISK PHRASES: R21/22
Methylenebiscyclohexanamine, 4,4	1761-71-3	217-168-8	Not Listed	1 – 5%	HAZARD CLASSIFICATION: : [Xn] Harmful RISK PHRASES: R21/22
Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).					

**NOTE:** ALL WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2010 format. This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all the information required by the CPR, EU Directives and the Japanese Industrial Standard *JIS Z* 7250: 2000.

## SECTION 4 - FIRST-AID MEASURES

Contaminated individuals of chemical exposure must be taken for medical attention if any adverse effect occurs. Rescuers should be taken for medical attention, if necessary. Take copy of label and SDS to health professional with contaminated individual.

- **EYE CONTACT:** If product enters the eyes, open eyes while under gentle running water for at least 20 minutes. Seek medical attention.
- **SKIN CONTACT:** Wash skin thoroughly after handling. Seek medical attention if irritation develops and persists. Remove contaminated clothing. Launder before re-use.
- **INHALATION:** If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention if breathing dificulty continues.
- **INGESTION:** If product is swallowed, call physician or poison control center for most current information. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or MSDS with the victim to the health professional.

**MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:** Pre-existing skin or respiratory problems may be aggravated by prolonged exposure to this product.

**RECOMMENDATIONS TO PHYSICIANS:** Treat symptoms and reduce over-exposure.

### **SECTION 5 - FIRE-FIGHTING MEASURES**

Non-Flammable with flash >200°F Not Applicable Page 2 of 6

# Epoxy Part B / Curing Agent


#### FLAMMABLE LIMITS (in air by volume, %): FIRE EXTINGUISHING MATERIALS: UNUSUAL FIRE AND EXPLOSION HAZARDS:

Explosion Sensitivity to Mechanical Impact: Explosion Sensitivity to Static Discharge: SPECIAL FIRE-FIGHTING PROCEDURES: <u>Lower (LEL)</u>: Not Applicable <u>Upper (UEL)</u>: Not Applicable Water, carbon dioxide, foam, or dry chemical

If involved in a fire this product may generate ammonia gas, toxic nitrogen oxide gases noxious and toxic fumes.

Not Applicable Not Applicable

Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.



Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe \* = Chronic hazard

## **SECTION 6 - ACCIDENTAL RELEASE MEASURES**

**SPILL AND LEAK RESPONSE:** Personnel should be trained for spill response operations.

**SPILLS:** Contain spill if safe to do so. Prevent entry into drains, sewers, and other waterways. Soak up with an absorbent material and place in an appropriate container for disposal. Dispose of in accordance with applicable Federal, State, and local procedures (see Section 13, Disposal Considerations).

## **SECTION 7 - HANDLING and STORAGE**

**WORK PRACTICES AND HYGIENE PRACTICES:** As with all chemicals, avoid getting this product ON YOU or IN YOU. Wash thoroughly after handling this product. Do not eat, drink, smoke, or apply cosmetics while handling this product. Avoid breathing vapors/mists/sprays generated by this product. Use in a well-ventilated location. Remove contaminated clothing immediately.

**STORAGE AND HANDLING PRACTICES:** Store containers in a cool, dry, well ventilated location. Keep container tightly closed when not in use. Store away from alkalis..

## **SECTION 8 - EXPOSURE CONTROLS - PERSONAL PROTECTION**

## EXPOSURE LIMITS/GUIDELINES:

Chemical Name	CAS#	ACGIH TWA	OSHA TWA
Benzyl Alcohol	100-51-6	10 ppm	10 ppm

Currently, International exposure limits are not established for all the components of this product. Please check with competent authority in each country for the most recent limits in place.

## Epoxy Part B / Curing Agent

**VENTILATION AND ENGINEERING CONTROLS:** Use with adequate ventilation to ensure exposure levels are maintained below the limits provided below. Use local exhaust ventilation to control airborne dust. Ensure eyewash/safety shower stations are available near areas where this product is used.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

**RESPIRATORY PROTECTION:** Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

**EYE PROTECTION:** Splash goggles or safety glasses with side shields recommended. If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards.

**HAND PROTECTION:** Compatible protective gloves recommended. Wash hands after removing gloves. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards.

**BODY PROTECTION:** Use body protection appropriate to prevent contact (e.g. lab coat, overalls). If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards.

## **SECTION 9 - PHYSICAL and CHEMICAL PROPERTIES**

Liquid

PHYSICAL STATE: APPEARANCE & ODOR: ODOR THRESHOLD (PPM): VAPOR PRESSURE (mmHg): VAPOR DENSITY (AIR=1): LIQUID DENSITY EVAPORATION RATE (nBuAc = 1): BOILING POINT (C°): FREEZING POINT (C°): pH: SPECIFIC GRAVITY 20°C: (WATER =1) SOLUBILITY IN WATER (%) VOC: MOLECULAR WEIGHT

This product is an amber liquid with a ammonical odor. Not Available 0.70 mmHg at 70°F >1 Not Available <1 222°C Not Available Not Available 1.08 Not Soluble None Not Available

## SECTION 10 - STABILITY and REACTIVITY

STABILITY: Product is stable

**DECOMPOSITION PRODUCTS:** When heated to decomposition this product produces Oxides of carbon (COx), and toxic and irritating fumes.

**MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE:** Amines, incompatible bases and reducing agents. **HAZARDOUS POLYMERIZATION:** Will not occur.

**CONDITIONS TO AVOID:** Incompatible materials.

## SECTION 11 - TOXICOLOGICAL INFORMATION

### TOXICITY DATA:

CAS# 100-51-6: Benzyl Alcohol  $LD_{50}$  Oral, Rat = >1200 mg/kg

**SUSPECTED CANCER AGENT:** None of the ingredients are found on the following lists: FEDERAL OSHA Z LIST, NTP, CAL/OSHA, IARC and therefore are not considered to be, nor suspected to be a cancer-causing agent by these agencies.

**IRRITANCY OF PRODUCT:** Contact with this product can be irritating to exposed skin, eyes and respiratory system. **SENSITIZATION OF PRODUCT:** This product may cause skin sensitization

**REPRODUCTIVE TOXICITY INFORMATION:** No information concerning the effects of this product and its components on the human reproductive system.

## Epoxy Part B / Curing Agent

## **SECTION 12 - ECOLOGICAL INFORMATION**

#### ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

ENVIRONMENTAL STABILITY: No Data available at this time.

**EFFECT OF MATERIAL ON PLANTS or ANIMALS:** No evidence is currently available on this product's effects on plants or animals.

EFFECT OF CHEMICAL ON AQUATIC LIFE: No data available

## **SECTION 13 - DISPOSAL CONSIDERATIONS**

**PREPARING WASTES FOR DISPOSAL:** Waste disposal must be in accordance with appropriate Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan.

## **SECTION 14 - TRANSPORTATION INFORMATION**

US DOT; IATA; IMO; ADR:

THIS PRODUCT IS NOT HAZARDOUS AS DEFINED BY 49 CFR 172.101 BY THE U.S. DEPARTMENT OF TRANSPORTATION.

**PROPER SHIPPING NAME:** Non-Regulated Material

HAZARD CLASS NUMBER and DESCRIPTION: None

UN IDENTIFICATION NUMBER: NA

PACKING GROUP: NA

DOT LABEL(S) REQUIRED: NA

### NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER (2004): NA

**MARINE POLLUTANT:** None of the ingredients are classified by the DOT as a Marine Pollutant (as defined by 49 CFR 172.101, Appendix B)

U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS:

This product is not classified as dangerous goods, per U.S. DOT regulations, under 49 CFR 172.101.

TRANSPORT CANADA, TRANSPORTATION OF DANGEROUS GOODS REGULATIONS:

This product is not classified as Dangerous Goods, per regulations of Transport Canada.

INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA):

This product is not classified as Dangerous Goods, by rules of IATA:

INTERNATIONAL MARITIME ORGANIZATION (IMO) DESIGNATION:

This product is not classified as Dangerous Goods by the International Maritime Organization.

EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD (ADR):

This product is not classified by the United Nations Economic Commission for Europe to be dangerous goods.

## **SECTION 15 - REGULATORY INFORMATION**

#### UNITED STATES REGULATIONS

**SARA REPORTING REQUIREMENTS:** This product is subject to the reporting requirements of Sections 302, 304 and 313 of Title III of the Superfund Amendments and Reauthorization Act., as follows: None

**TSCA:** All components in this product are listed on the US Toxic Substances Control Act (TSCA) inventory of chemicals.

SARA 311/312:

Acute Health: Yes Chronic Health: No

Fire: No R

Reactivity: No

**U.S. SARA THRESHOLD PLANNING QUANTITY:** There are no specific Threshold Planning Quantities for this product. The default Federal MSDS submission and inventory requirement filing threshold of 10,000 lb (4,540 kg) may apply, per 40 CFR 370.20.

U.S. CERCLA REPORTABLE QUANTITY (RQ): None

**<u>CLEAN WATER ACT:</u>** This product is not listed as a priority pollutant under the CWA.

STATE REGULATIONS: None known

CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65): None of the ingredients is on the California Proposition 65 lists.

## CANADIAN REGULATIONS:

CANADIAN DSL/NDSL INVENTORY STATUS: All of the components of this product are on the DSL Inventory CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS: No component of this product is on the CEPA First Priorities Substance Lists.

## **Epoxy Part B / Curing Agent**

**CANADIAN WHMIS CLASSIFICATION and SYMBOLS:** This product is categorized as a Class D Division 2B Materials causing other toxic effects, as per the Controlled Product Regulations

### EUROPEAN ECONOMIC COMMUNITY INFORMATION:

**EU LABELING AND CLASSIFICATION:** 

Classification of the mixture according to Regulation (EC) No1272/2008. See section 2 for details.

#### AUSTRALIAN INFORMATION FOR PRODUCT:

**AUSTRALIAN INVENTORY OF CHEMICAL SUBSTANCES (AICS) STATUS:** All components of this product are listed on the AICS or Exempt from listing.

STANDARD FOR THE UNIFORM SCHEDULING OF DRUGS AND POISONS: Not applicable.

### JAPANESE INFORMATION FOR PRODUCT:

JAPANESE MINISTER OF INTERNATIONAL TRADE AND INDUSTRY (MITI) STATUS: The components of this product are not listed as Class I Specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

### **INTERNATIONAL CHEMICAL INVENTORIES:**

Listing of the components on individual country Chemical Inventories is as follows:

Listed or Exempt
Listed or Exempt

## **SECTION 16 - OTHER INFORMATION**

### **PREPARED BY:** Paul Eigbrett

GHS MSDS Compliance PLUS

**Disclaimer:** To the best of Royal Coating's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type either express or implied are provided. The information contained herein relates only to this specific product.