

SAFETY DATA SHEET

ROYAL WRC-75



Prepared to U.S. OSHA, CMA, ANSI, Canadian WHMIS, Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European Union REACH Regulations

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: **ROYAL WRC-75**
CHEMICAL FAMILY NAME: Polymer Modified Asphalt Emulsion
PRODUCT USE: Sucker Rod Special Application Coating
U.N. NUMBER: N/A
U.N. DANGEROUS GOODS CLASS: Non-Regulated Material
SUPPLIER/MANUFACTURER'S NAME: Royal Coatings, Inc.
ADDRESS: 3014 Dauphine St Ste A, PMB 48447, New Orleans, LA 70117-6755
EMERGENCY PHONE: 1-800-255-3924 ChemTel, Inc
BUSINESS PHONE: 1-504-392-8811
EMAIL ADDRESS: sales@royalcoatings.net
WEB SITE INFORMATION: www.royalcoatings.net
DATE OF PREPARATION: June 26, 2020
DATE OF LAST REVISION: November 06, 2023

SECTION 2 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: This product is a black colored liquid with a slight odor. Prolonged contact may cause skin irritation. Direct contact with eyes may cause irritation. Inhalation of vapors may cause respiratory tract irritation. Ingestion may cause gastric distress. The environmental effects of this product have not been investigated.

US DOT SYMBOLS

Non-Regulated

CANADA (WHMIS) SYMBOLS



EUROPEAN and (GHS) Hazard Symbols



Signal Word: **Warning!**

EU LABELING AND CLASSIFICATION:

Classification of the substance or mixture according to Regulation (EC) No1272/2008 Annex 1

EC# 232-490-9 This substance are not classified in the Annex I of Directive 67/548/EEC

EC# 231-791-2 This substance are not classified in the Annex I of Directive 67/548/EEC

Proprietary Polymer is not listed in ESIS

EC# 232-475-7 Annex I Index# 650-015-00-7

EC# 231-555-9 Annex I Index# 007-010-00-4

Substances not listed either individually or in group entries must be self classified

Components Contributing to Hazard(s):

Petroleum Asphalt, Rosin, Sodium Nitrite

GHS Hazard Classification(s):

Acute Oral Toxicity Category 4

Skin Sensitizer Category 1

Skin Irritant Category 2

Eye Irritant Category 2

STOT SE Category 3

Hazard Statement(s):

H302: Harmful if swallowed

H315: Causes skin irritation

H317: May cause an allergic skin reaction.

H320: Causes eye irritation

H335: may cause respiratory irritation

Precautionary Statement(s):

P202: Do not handle until all safety precautions have been read and understood

P261: Avoid breathing vapors

P264: Wash hands thoroughly after handling

P273: Avoid release to the environment

P280: Wear protective gloves/protective clothing/eye protection/face protection

SAFETY DATA SHEET

ROYAL WRC-75

EU HAZARD CLASSIFICATION PER DIRECTIVE 1999/45/EC:

[Xn] Harmful, [Xi] Irritant

Risk Phrases:

R22: Harmful if swallowed

R36/37/38: Irritating to eyes, respiratory system and skin

R43: May cause sensitization by skin contact

Safety Phrases:

S23: Do not breathe gas/fumes/vapour/spray

S24: Avoid contact with skin

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S36/37: Wear suitable protective clothing and gloves.

S46: If swallowed, seek medical advice immediately and show label.

HEALTH HAZARDS OR RISKS FROM EXPOSURE:

ACUTE:

INHALATION: Inhalation of vapors may cause respiratory tract irritation.

EYE: Direct contact may cause irritation with burning, tearing, redness and swelling.

SKIN: Prolonged contact with skin may cause irritation and contact dermatitis.

INGESTION: Ingestion may cause gastrointestinal irritation including gastrointestinal upset, nausea and vomiting.

CHRONIC: None known

TARGET ORGANS:

ACUTE: Eye, Respiratory System, Skin

CHRONIC: None Known

SECTION 3 - COMPOSITION and INFORMATION ON INGREDIENTS

| HAZARDOUS INGREDIENTS: | CAS # | EINECS # | ICSC # | WT % | HAZARD CLASSIFICATION; RISK PHRASES |
|---|-------------|-----------------------|------------|----------|---|
| Petroleum Asphalt | 8052-42-4 | 232-490-9 | 0612 | 40- 45% | HAZARD CLASSIFICATION: : [Xi] Irritant RISK PHRASES: R36/37/38 |
| Water | 7732-18-5 | 231-791-2 | Not Listed | 30 -40% | HAZARD CLASSIFICATION: None RISK PHRASES: None |
| Carboxylated Copolymer | Proprietary | Not Listed in ESIS | Not Listed | 10 – 15% | HAZARD CLASSIFICATION: : [Xi] Irritant RISK PHRASES: R36/38 |
| N,N - Dimethylethanolamine | 108-01-0 | 203-542-8 | 0654 | 2 – 5% | HAZARD CLASSIFICATION: : [Xi] Irritant RISK PHRASES: R43 |
| Carbon Black | 1333-86-4 | 215-609-9 | 0471 | 2 – 5% | HAZARD CLASSIFICATION: : [Xn] Harmful RISK PHRASES: R22 |
| Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for <u>carcinogens, reproductive toxins, or respiratory sensitizers</u>). | | | | | |

NOTE:

ALL WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2010 format. This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR, EU Directives and the Japanese Industrial Standard *JIS Z 7250: 2000*.

SECTION 4 - FIRST-AID MEASURES

Contaminated individuals of chemical exposure must be taken for medical attention if any adverse effect occurs. Rescuers should be taken for medical attention, if necessary. Take copy of label and MSDS to health professional with contaminated individual.

EYE CONTACT: If product enters the eyes, open eyes while under gentle running water for at least 15 minutes. Seek medical attention if blurred vision occurs or irritation persists.

SKIN CONTACT: Wash skin thoroughly after handling. Seek medical attention if irritation develops and persists. Remove contaminated clothing. Launder before re-use.

INHALATION: If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention if breathing difficulty continues.

INGESTION: If product is swallowed, call physician or poison control center for most current information. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or MSDS with the victim to the health professional.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Pre-existing skin problems may be aggravated by prolonged exposure to this product.

RECOMMENDATIONS TO PHYSICIANS: Treat symptoms and reduce over-exposure.

SAFETY DATA SHEET

ROYAL WRC-75

SECTION 5 - FIRE-FIGHTING MEASURES

FLASH POINT:

Non-Flammable with flash >200°F

AUTOIGNITION TEMPERATURE:

Not Applicable

FLAMMABLE LIMITS (in air by volume, %):

Lower (LEL): Not Applicable Upper (UEL): Not Applicable

FIRE EXTINGUISHING MATERIALS:

Water, carbon dioxide, foam, or dry chemical

UNUSUAL FIRE AND EXPLOSION HAZARDS:

Thermo decomposition (burning) may release irritating, corrosive and/or toxic gases, vapors and fumes.

Explosion Sensitivity to Mechanical Impact:

Not Available


Explosion Sensitivity to Static Discharge:

Not Available

SPECIAL FIRE-FIGHTING PROCEDURES:

Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.

NFPA RATING SYSTEM



HMIS RATING SYSTEM

| HAZARDOUS MATERIAL IDENTIFICATION SYSTEM | | | |
|--|-------------|-------|------------|
| HEALTH HAZARD (BLUE) | | | 1 |
| FLAMMABILITY HAZARD (RED) | | | 1 |
| PHYSICAL HAZARD (YELLOW) | | | 1 |
| PROTECTIVE EQUIPMENT | | | |
| EYES | RESPIRATORY | HANDS | BODY |
| | See Sect 8 | | See Sect 8 |
| For Routine Industrial Use and Handling Applications | | | |

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic hazard

SECTION 6 - ACCIDENTAL RELEASE MEASURES

SPILL AND LEAK RESPONSE: Personnel should be trained for spill response operations.

SPILLS: Contain spill if safe to do so. Prevent entry into drains, sewers, and other waterways. Soak up with an absorbent material and place in an appropriate container for disposal. Dispose of in accordance with applicable Federal, State, and local procedures (see Section 13, Disposal Considerations).

SECTION 7 - HANDLING and STORAGE

WORK PRACTICES AND HYGIENE PRACTICES: As with all chemicals, avoid getting this product ON YOU or IN YOU. Wash thoroughly after handling this product. Do not eat, drink, smoke, or apply cosmetics while handling this product. Avoid breathing vapors/mists/sprays generated by this product. Use in a well-ventilated location. Remove contaminated clothing immediately.

STORAGE AND HANDLING PRACTICES: Store containers in a cool, dry, well ventilated location. Keep container tightly closed when not in use. Keep from freezing. Store away from incompatible materials.

SECTION 8 - EXPOSURE CONTROLS - PERSONAL PROTECTION

EXPOSURE LIMITS/GUIDELINES:

| Chemical Name | CAS# | ACGIH TWA | OSHA TWA |
|-------------------|-----------|--|------------|
| Petroleum Asphalt | 8052-42-4 | 0.5 mg/m ³ (As a Benzene soluble Aerosol) | Not Listed |

SAFETY DATA SHEET

ROYAL WRC-75

| | | | |
|----------------------------|-------------|-------------|-------------|
| Water | 7732-18-5 | Not listed. | Not listed. |
| Carboxylated Copolymer | Proprietary | Not listed. | Not listed. |
| N,N - Dimethylethanolamine | 108-01-0 | Not listed | Not Listed |
| Carbon Black | 1333-86-4 | 3.5 mg/m3 | 3.5 mg/m3 |

Currently, International exposure limits are not established for the components of this product. Please check with competent authority in each country for the most recent limits in place.

VENTILATION AND ENGINEERING CONTROLS: Use with adequate ventilation to ensure exposure levels are maintained below the limits provided below. Use local exhaust ventilation to control airborne dust. Ensure eyewash/safety shower stations are available near areas where this product is used.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

RESPIRATORY PROTECTION: Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

EYE PROTECTION: Splash goggles or safety glasses with side shields recommended. If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards.

HAND PROTECTION: Compatible protective gloves recommended. Wash hands after removing gloves. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards.

BODY PROTECTION: Use body protection appropriate to prevent contact (e.g. lab coat, overalls). If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards.

SECTION 9 - PHYSICAL and CHEMICAL PROPERTIES

| | |
|--|---------------------------------------|
| PHYSICAL STATE: | Liquid |
| APPEARANCE & ODOR: | Black liquid with mild asphaltic odor |
| ODOR THRESHOLD (PPM): | Not Available |
| VAPOR PRESSURE (mmHg): | Not Available |
| VAPOR DENSITY (AIR=1): | >1 |
| LIQUID DENSITY | Not Available |
| EVAPORATION RATE (nBuAc = 1): | <1 |
| BOILING POINT (C°): | 100°C |
| FREEZING POINT (C°): | 0°C |
| pH: | Not Available |
| SPECIFIC GRAVITY 20°C: (WATER =1) | 1.03 -1.3 |
| SOLUBILITY IN WATER (%) | Completely Soluble |
| VOC: | 0.1 grams/liter |
| MOLECULAR WEIGHT | Not Available |

SECTION 10 - STABILITY and REACTIVITY

STABILITY: Product is stable

DECOMPOSITION PRODUCTS: When heated to decomposition this product produces Oxides of carbon (COx), and toxic and irritating fumes.

MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE: Strong acids and strong oxidizers

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID: Incompatible materials, extreme heat and freezing.

SAFETY DATA SHEET

ROYAL WRC-75

SECTION 11 - TOXICOLOGICAL INFORMATION

TOXICITY DATA:

None Established

SUSPECTED CANCER AGENT: None of the ingredients are found on the following lists: FEDERAL OSHA Z LIST, NTP, CAL/OSHA, IARC and therefore are not considered to be, nor suspected to be a cancer-causing agent by these agencies.

IRRITANCY OF PRODUCT: Contact with this product can be irritating to exposed skin, eyes and respiratory system.

SENSITIZATION OF PRODUCT: This product contains an ingredient that is considered a sensitizer causing allergic skin reaction.

REPRODUCTIVE TOXICITY INFORMATION: No information concerning the effects of this product and its components on the human reproductive system.

SECTION 12 - ECOLOGICAL INFORMATION

ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION. ENVIRONMENTAL STABILITY: No Data available at this time. **EFFECT OF MATERIAL ON PLANTS or ANIMALS:** No evidence is currently available on this product's effects on plants or animals.

EFFECT OF CHEMICAL ON AQUATIC LIFE: No data available

SECTION 13 - DISPOSAL CONSIDERATIONS

PREPARING WASTES FOR DISPOSAL: Waste disposal must be in accordance with appropriate Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan.

SECTION 14 - TRANSPORTATION INFORMATION

US DOT; IATA; IMO; ADR:

THIS PRODUCT IS NOT HAZARDOUS AS DEFINED BY 49 CFR 172.101 BY THE U.S. DEPARTMENT OF TRANSPORTATION.

PROPER SHIPPING NAME: Non-Regulated Material

HAZARD CLASS NUMBER and DESCRIPTION: None

UN IDENTIFICATION NUMBER: NA

PACKING GROUP: NA

DOT LABEL(S) REQUIRED: NA

NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER (2004): NA

MARINE POLLUTANT: None of the ingredients are classified by the DOT as a Marine Pollutant (as defined by 49 CFR 172.101, Appendix B)

U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS:

This product is not classified as dangerous goods, per U.S. DOT regulations, under 49 CFR 172.101.

TRANSPORT CANADA, TRANSPORTATION OF DANGEROUS GOODS REGULATIONS:

This product is not classified as Dangerous Goods, per regulations of Transport Canada.

INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA):

This product is not classified as Dangerous Goods, by rules of IATA:

INTERNATIONAL MARITIME ORGANIZATION (IMO) DESIGNATION:

This product is not classified as Dangerous Goods by the International Maritime Organization.

EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD

(ADR):

This product is not classified by the United Nations Economic Commission for Europe to be dangerous goods.

SECTION 15 - REGULATORY INFORMATION

UNITED STATES REGULATIONS

SARA REPORTING REQUIREMENTS: None Established

SAFETY DATA SHEET

ROYAL WRC-75

TSCA: All components in this product are listed on the US Toxic Substances Control Act (TSCA) inventory of chemicals.

SARA 311/312:

Acute Health: Yes Chronic Health: No Fire: No Reactivity: No

U.S. SARA THRESHOLD PLANNING QUANTITY: There are no specific Threshold Planning Quantities for this product. The default Federal MSDS submission and inventory requirement filing threshold of 10,000 lb (4,540 kg) may apply, per 40 CFR 370.20.

U.S. CERCLA REPORTABLE QUANTITY (RQ): 100 lb (45.4 kg) for CAS# 7632-00-0;

CLEAN WATER ACT: This product is not listed as a priority pollutant under the CWA.

STATE REGULATIONS: CAS# 7632-00-0 are listed on the following state right to know lists: Massachusetts, Pennsylvania, Florida, New York and New Jersey.

CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65): None of the ingredients is on the California Proposition 65 lists.

CANADIAN REGULATIONS:

CANADIAN DSL/NDL INVENTORY STATUS: All of the components of this product are on the DSL Inventory

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS: No component of this product is on the CEPA First Priorities Substance Lists.

CANADIAN WHMIS CLASSIFICATION and SYMBOLS: This product is categorized as a Class D Division 2B Materials causing other toxic effects, as per the Controlled Product Regulations

EUROPEAN ECONOMIC COMMUNITY INFORMATION:

EU LABELING AND CLASSIFICATION:

Classification of the mixture according to Regulation (EC) No1272/2008. See section 2 for details.

AUSTRALIAN INFORMATION FOR PRODUCT:

AUSTRALIAN INVENTORY OF CHEMICAL SUBSTANCES (AICS) STATUS: All components of this product are listed on the AICS or Exempt from listing.

STANDARD FOR THE UNIFORM SCHEDULING OF DRUGS AND POISONS: Not applicable.

JAPANESE INFORMATION FOR PRODUCT:

JAPANESE MINISTER OF INTERNATIONAL TRADE AND INDUSTRY (MITI) STATUS: The components of this product are not listed as Class I Specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

INTERNATIONAL CHEMICAL INVENTORIES:

Listing of the components on individual country Chemical Inventories is as follows:

| | |
|---|------------------|
| Asia-Pac: | Listed or Exempt |
| Australian Inventory of Chemical Substances (AICS): | Listed or Exempt |
| Korean Existing Chemicals List (ECL): | Listed or Exempt |
| Japanese Existing National Inventory of Chemical Substances (ENCS): | Listed or Exempt |
| Philippines Inventory of Chemicals and Chemical Substances (PICCS): | Listed or Exempt |
| Swiss Giftliste List of Toxic Substances: | Listed or Exempt |
| U.S. TSCA: | Listed or Exempt |

SECTION 16 - OTHER INFORMATION

PREPARED BY: Royal Coatings, Inc.

Disclaimer: To the best of Royal Coating's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type either express or implied are provided. The information contained herein relates only to this specific product.